

ARR Appendix B

Approved Plant List

(Revised 5/10/2021)

PURPOSE

The Approved Plant List was created by Vitalia's Architectural Review Committee (ARC).

The purpose of the Approved Plant List is to communicate the approved plants for residential use in Vitalia. The use of the Approved Plant List is two-fold. For use by residents planning their landscaping projects. For use by the ARC when reviewing ARC applications.

The Approved Plant List is based on two books, "Easy Gardens for South Florida" and "Best Garden Color for Florida" both authored by Pamela Crawford and available at the Captiva Clubhouse for reference. The University of Florida's Institute of Food and Agricultural Sciences was an additional resource (www.ifas.ufl.edu).

The Approved Plant List includes popular plants for the South Florida region inclusive of The Tradition in Saint Lucie County.

If a homeowner would like to request additions to the Approved Plant List, please send your request to the ARC.

CONSIDERATIONS

The Approved Plant List was subject to a number of considerations, as follows:

Vitalia is well-established, thus the majority of plants already exist within the community. To avoid further use of the unapproved plants, all new plant additions must be approved by the ARC using the updated version of the Approved Plant List.

Vitalia's HOA employs a landscape contractor to maintain Vitalia's plants, thus both the growth rate and the ease of maintenance are important factors for controlling current costs and for avoiding future cost increases. The homeowner may be responsible for maintaining certain aspects of their landscaping, thus approved plants need to be easy and safe to maintain.

Based on appearance and maintenance factors, canopy and palm trees with a maximum height of 25-30' are appropriate for a residence in Vitalia.

Ease of maintenance includes the self-cleaning feature of palm trees whereby dead fronds automatically fall to the ground. The palms requiring maintenance to remove dead fronds, or the palms with a self-cleaning delay (fronds are dead but still exist for a while) are not approved for a residence especially when considering how critical this maintenance is in anticipation of a hurricane.

Another maintenance concern is with dangerous tips and spines, or even thorns on a plant. Several plants with these dangerous features are not approved.

Many plants have components (roots, stems, leaves, flowers, fruits, seeds) found to be irritating, toxic, and/or poisonous to humans, dogs, cats, and/or horses. After researching several reputable resources, the plants with the most serious concerns are not approved. Many plants have a few concerns in this regard thus should be selected accordingly.

Several plants are susceptible to high winds, that is, they can defoliate, lose branches, and/or fall over when exposed to strong winds, especially in a hurricane situation. The plants whose wind tolerance is considered low are not approved.

A plant's susceptibility to diseases and pests is often related to environmental concerns. Examples include the water retention of the soil, and the exposure to the sun. A short description of diseases and pests is included in the Approved Plant List. Each homeowner is responsible for ensuring their plants avoid the contributing

factors to these diseases and pests. Most important, do not plant anything near the swale if it's susceptible to root rot (from too much water).

Several plants attract unwelcome critters thus are not approved for use in Vitalia. For similar reasons, bird feeders are also not approved due to spilled seeds. Critters can become dependent on a food source from a homeowner's garden, and have been known to peck through a screen in an attempt to access a plant or bird seed. Most citizens do not realize it is illegal to feed the cranes, racoons, alligators, and foxes in Florida, and is considered a second-degree misdemeanor with associated fines (first time, \$500.00).

ADDITIONAL GUIDELINES

In addition to consulting the Approved Plant List, ensure the following guidelines are adopted when planning a landscaping project:

The swales between our individual lots allow for drainage thus need to remain unencumbered; trees cannot be planted less than 2' from a swale.

When planning your landscaping requirements, ensure there is appropriate egress for all mowing operations (60" clearance into and out of your turf areas).

Plants can never be placed in front of the community's Florida Power and Light (PPL) electrical transformer boxes.

If using stone, black, brown or tan edging must be installed as a retention barrier.

When using mulch, ensure it is the same mulch as is currently in use in Vitalia (the mulch quality sometimes changes as new products become available).

Once your landscaping project has been negotiated with your landscaping contractor, be sure to turn in an ARC application for pre-approval.

Even small plant projects require ARC pre-approval, for example, the addition of potted plants and/or yard art. Pre-approval normally takes 4 weeks, however, please allow a longer period when requesting "new" plants (those not currently listed in the Approved Plant List).

Until pre-approval notification is received via email, do not proceed with your landscaping project.

If changes are negotiated ahead or during the install, such changes need to be communicated to the ARC, possibly via a second ARC application.

Approved Plant List Spreadsheet

Category	Common Name	Botanical Name	Height x Width	Growth Rate	Cautions	Uses - ground and/or container	Self-cleaning?	Wind tolerance	Possible Pests / Diseases
Accent	Agave, False Variegated	Furcraea foetida 'Variegata'	4-5' x 4-5'	medium	sometimes spines develop on the sides of the leaves	both	n/a	high	occasional snails, leaf spots from overwatering
Accent	Bird of Paradise, White	Strelitzia nicolai	8-20' x 6-12'	medium	none	both	n/a	low	spiraling whitefly; frequent scale if under screening
Accent	Bromeliad, Alcantarea spp.	Alcantarea odorata and Alcantarea imperialis	4' x 4' over time	slow	none	both	n/a	high	none
Annual	Alyssum; Sweet Alyssum	Lobularia maritima	3-6" x 8"	medium	none	both	n/a	medium	none
Annual	Begonia, Dragon Wing	Begonia 'Angel Wing'	16-24" x 12-18"	medium	if eaten, irritant may lead to breathing difficulties	both	n/a	medium	fungus, rare
Annual	Begonia, Wax	Begonia x semperflorens-cultorum	12" x 8-12"	medium	if eaten, irritant may lead to breathing difficulties	both	n/a	medium	fungus
Annual	Caladium	Caladium x hortulanum	8-20" x 10-14"	medium	if eaten, poisonous; sap may irritate skin	both	n/a	medium	slugs and snails
Annual	Coleus	Plectranthus scutellarioides	6-36" x 8-18"	medium	none	both	n/a	medium	root rot with wet soil, aphids, mites, mealybugs, caterpillars, slugs
Annual	Creeping Jenny	Lysimachia nummularia 'Aurea'	18" trails	fast	none	container	n/a	medium	none
Annual	Crossandra 'Orange Marmalade'	Crossandra infundibuliformis 'Orange Marmalade'	14-36" x 14-36"	medium	none	both	n/a	unknown	none

Annual	Dusty Miller; Silver Ragwort	Jacobaea maritima	18-36" x 8-12"	fast	can be poisonous	ground	n/a	unknown	susceptible to rust
Annual	Gaillardia; Blanket Flower	Gaillardia pulchella	12-24" x 10-12"	fast	none	both	n/a	unknown	root rot if soil is too wet
Annual	Geranium	Pelargonium x hortorum	12-24" x 12-18"	medium	if eaten, toxic to dogs and cats	both	n/a	medium	occasional whiteflies, fungus
Annual	Gerber Daisy; Gerbera Daisy	Gerbera jamesonii	12-18" x 12-15"	n/a	none	both	n/a	unknown	crown or root rot if soil is too wet; subject to leaf spots
Annual	Impatiens, New Guinea	Impatiens hawkeri	12-18" x 12-18"	fast	none	both	n/a	medium	fungus, slugs, Japanese beetles
Annual	Mandevilla	Mandevilla sanderi	vine or small shrub	n/a	milky sap can irritate skin & may be toxic if eaten	both	n/a	unknown	occasional aphids, scale, mealybugs
Annual	Marigold	Tagetes spp.	6-30" x 8- 18"	medium	none	ground	n/a	medium	occasional spider mites particularly in dry weather
Annual	Melampodiu m	Melampodium paludosum	12-18" x 12-18"	fast	reseeds occasionall y but not enough to be a nuisance	ground	n/a	medium	fungus
Annual	Moss Rose	Portulaca grandiflora	4-8" x 8- 14"	medium	none	ground	n/a	high	mites
Annual	Pansies	Viola x Wittrockiana	4-6" x 6- 8"	medium	none	ground	n/a	medium	occasional slugs or aphids
Annual	Pentas	Pentas lanceolata	12-18" x 12-18"	medium	none	both	n/a	high	fungus
Annual	Periwinkle; Madagascar Periwinkle; Vinca	Catharanthus roseus	1-2' x 1-2'	medium	none	both	n/a	unknown	root rot will cause decay of the roots and lower stems
Annual	Petunia	Petunia spp.	6-12" x 10-24"	medium	if eaten, leaves are poisonous	both	n/a	high	stem rot, rare
Annual	Purslane	Portulaca oleracea	2-3" x 12"	medium	none	ground	n/a	high	occasional snails
Annual	Salvia splendens, Scarlet sage	Salvia splendens	12" x 8"	medium	none	both	n/a	low	none
Annual	Salvia, Blue	Salvia farinacea	18" x 12"	medium	none	both	n/a	medium	none

Annual	Snapdragon	Antirrhinum majus	6-36" x 6-10"	medium	none	ground	n/a	medium	occasional caterpillars
Annual	Sweet Potato Vine	Ipomoea batatas	3-8' long	fast	if eaten, toxic to dogs, cats, horses; grows fast so must be regularly maintained /trimmed	container	n/a	low	flea beetles sometimes make pinholes in leaves
Annual	Torenia, Wishbone Flower	Torenia fournieri	8-12" x 10"	medium	upright form reseeds	both	n/a	medium	rare
Annual	Verbena, Moss	Verbena aristigera	8-12" x 3-6'	medium	none	both	n/a	unknown	none
Annual	Zinnia	Zinnia spp.	6-48" x 6-18"	fast	allow for good air circulation	both	n/a	unknown	susceptible to powdery mildew
Conifer	Podocarpus, 'Pringles'	Podocarpus macrophyllus 'Pringles'	1-4' x 1-3'	slow	none	ground	n/a	high	none
Cycad	Cardboard Palm	Zamia furfuracea	4-5' x 4-5'	slow	poisonous	ground	n/a	medium	occasional scale and mealybugs
Cycad	Coontie	Zamia floridana	3-4' x 3-4'	slow	underground stem is poisonous	ground	n/a	unknown	prone to mealy bugs and scales; control scale or it could kill this plant
Groundcover	Blue Daze; Blew My Mind; Blue My Mind	Evolvulus glomeratus	12" x 12-18"	medium	none	ground	n/a	high	fungus, scale
Groundcover	Bulbine	Bulbine frutescens	12" x 8-12"	medium	none	ground	n/a	medium	none
Groundcover	Chenille Plant, Dwarf	Acalypha pendula	6" x 12-18"	medium	none	both	n/a	medium	none
Groundcover	Ferns, Wart	Microsorium scolopendria	24" x 18-24"	medium	none	ground	n/a	unknown	rare, root rot if soil is too wet
Groundcover	Jasmine minima or Asiatic jasmine	Trachelospermum asiaticum 'Minima'	6" tall	medium	if eaten, parts of the plant are toxic; sap can be toxic to skin	ground	n/a	high	few
Groundcover	Liriope	Liriope muscari 'Evergreen Giant'	1-3' x 2'	slow	do not overwater	ground	n/a	high	fungus

Groundcover	Orchid, Garden; Ground Orchid	<i>Spathoglottis plicata</i>	2' x 2'	medium	none	ground	n/a	unknown	none
Groundcover	Walking Iris	<i>Trimezia martinicensis</i>	2' x 2'	medium	none	ground	n/a	unknown	none
Groundcover / Accent	Bromeliad, Aechmea spp.	<i>Aechmea</i> spp.	12-48" x 24-48"	slow	leaves have spines	both	n/a	medium	root rot with over-watering
Groundcover / Accent	Bromeliad, Neoregelia spp.	<i>Neoregelia</i> spp.	4-36" x 6-26"	slow	leaves have spines; mosquitoes can breed in the center well	both	n/a	medium	root rot with over-watering
Groundcover / Accent	Coffee, Wild	<i>Psychotria nervosa</i>	3-8' x 3-6'	fast	attracts tons of bees	ground	n/a	medium	croton scale, sooty mold
Herbaceous Perennial	Iris, African; Butterfly Iris	<i>Dietes vegeta</i>	2-6' x 1-2'	slow	seldom blooms	both	n/a	unknown	occasional nematodes
Herbaceous Perennial	Begonia, Odorata	<i>Begonia odorata</i> 'Alba'	18-30" x 18-24"	medium	none	both	n/a	low	brown spots on leaves (fungus or bacteria) during rainy season
Herbaceous Perennial	Begonia, Pink Angelwing or Cane	<i>Begonia coccinea</i> 'Pink'	3-7' x 2-3'	medium	none	ground	n/a	low	fungus causes brown spots on the leaves
Herbaceous Perennial	Kalanchoe	<i>Kalanchoe blossfeldiana</i>	18" x 18"	n/a	low poison severity	both	n/a	unknown	root rot if soil is too wet; frequent disease and insect problems
Herbaceous Perennial	Lily-of-the-Nile; African Lily	<i>Agapanthus africanus</i>	18-30" tall	slow	none	ground	n/a	medium	occasional caterpillars, grasshoppers
Herbaceous Perennial	Milkweed; Butterfly Weed	<i>Asclepias curassavica</i>	24-36" x 8-12"	medium	if eaten, poisonous; sap is a skin irritant	ground	n/a	unknown	occasional aphids and bugs

Ornamental Grass	Mondo Grass; Dwarf Lilyturf	Ophiopogon japonicus	6-10" x 6-12"	slow	mow once in late winter	ground	n/a	unknown	none
Ornamental Grass	Muhly Grass; Pink Muhly Grass	Muhlenbergia capillaris	1-3' x 16-36"	medium	none	ground	n/a	unknown	none
Palm	Alexander Palm	Ptychosperma elegans	20' x 4' for single trunk, wider for multiple trunks	medium	pollen from the flowers can cause allergies	ground	yes	high	spiraling whitefly, ganoderma
Palm	Buccaneer Palm; Cherry Palm	Pseudophoenix sargentii	10-20' x 8-12'	slow	flowers attract bees; falling debris from stalks can cause mess (fruit-bearing)	ground	yes	high	unknown disease, probably phytophthora
Palm	Cat Palm	Chamaedorea cataractarum	6-8' x 6-8'	medium	fruits are an irritant	ground	no	unknown	none
Palm	Christmas Palm; Adonida Palm	Adonidia merrillii	15' x 8' for single trunk, wider for multiple trunks	medium	pollen from the flowers can cause allergies	both	yes	high	lethal yellowing, spiraling whitefly, ganoderma
Palm	Foxtail Palm	Wodyetia bifurcata	30' x 10-14'	fast	none	ground	yes	high	spiraling whitefly, ganoderma
Palm	Montgomery Palm; Feather Palm	Veitchia montgomeryana, Veitchia arecina	25-30' x 8' for single trunk, wider for multiple trunks	fast	none	ground	yes	unknown	spiraling whitefly
Palm	Roebelenii Palm; Pygmy Date Palm	Phoenix roebelenii	10' x 6' for single trunk, wider for multiple trunks	slow	sharp, long spines at the base of the fronds, take care when pruning	ground	no	high	spiraling whitefly
Palm	Silver Palm	Coccothrinax argentata	10-20' x 6'	slow	none	ground	no	high	spiraling whitefly
Palm	Spindle Palm	Hyophorbe verschaffeltii	20-25' x 5-10'	slow	none	ground	yes	high	spiraling whitefly, lethal yellowing

Shrub	Azalea	Rhododendron spp. (Azaleas)	wide range of sizes	medium	none	ground	n/a	unknown	mites, root rot, lacewings, leafminors
Shrub	Beautyberry	Callicarpa americana	4-8' - 4-8'	medium	edible berries can cause stomach ache	ground	n/a	medium	cucumber mosaic virus, whitefly, deer
Shrub	Caricature Plant	Graptophyllum pictum	4-7' x 3-4'	medium	leaves turn brown when sensitive to the cold	both	n/a	unknown	holes in the leaves usually indicate caterpillars or snails; occasional scale
Shrub	Chenille Plant	Acalypha hispida	4-10' x 4-7'	fast	milky sap from leaves and stems is poisonous; do not eat or touch the sap	both	n/a	medium	occasional mealybugs, aphids, scale
Shrub	Clusia	Clusia guttifera	5-10' x 3-6'	fast	if eaten, parts of the plant are poisonous; handling the plant can irritate skin	ground	n/a	unknown	occasional scale, insects
Shrub	Cocoplum	Chrysobalanus icaco 'Red Tip'	3-12' x 2-10'	medium	none	ground	n/a	medium	pestalotia, lobate lac scale, Sri Lanka weevil, spiraling whitefly, croton scale
Shrub	Copperleaf	Acalypha spp.	3-8' x 3-7'	fast	none	both	n/a	medium	croton scale, spiraling whitefly, mealybugs, mites, aphids, scales
Shrub	Spiral Ginger, Costas barbatus	Costas barbatus	7-8' x 6-8'	fast	none	ground	n/a	low	none
Shrub	Croton in Pink, Red, or Yellow Tones	Codiaeum variegatum	3-9' x 2-8'	medium	milky sap can stain clothes and/or be a skin irritant	both	n/a	high	croton scale is a serious pest (refer to UF IFAS video on YouTube)

Shrub	Curly Ruffle	<i>Acalypha wilkesiana</i> 'Godseffiana'	4-8' x 2-3'	fast	none	ground	n/a	medium	occasional mealybugs
Shrub	Dombeya 'Seminole'	<i>Dombeya</i> 'Seminole'	6-8' x 6-8'	fast	attracts bees	ground	n/a	medium	none
Shrub	<i>Dracaena reflexa</i> 'Song of India'	<i>Dracaena reflexa</i> 'Song of India'	3-13' x 3-6'	slow	none	both	n/a	high	none
Shrub	<i>Duranta</i> 'Gold Mound'	<i>Duranta erecta</i> 'Gold Mound'	12-48" x 12-48"	medium	thorns on stems; if eaten, fruit is poisonous	ground	n/a	medium	susceptible to root-knot nematodes and whitefly
Shrub	Dwarf Yaupon Holly	<i>Ilex vomitoria</i> 'Nana'	4-7' x 6-10'	slow	grow wider than tall	ground	n/a	unknown	none
Shrub	<i>Ficus</i> , 'Green Island'	<i>Ficus microcarpa</i> 'Green Island'	1-3' x 1-3'	slow	sap can irritate skin; if eaten, can cause stomach ache	ground	n/a	high	occasional scale, fungus
Shrub	Firebush, Native and Compact	<i>Hamelia patens</i> var. <i>patens</i> (Native) and <i>Hamelia patens</i> var. <i>glabra</i> (Compact)	6-20' x 4-8' (Native) 4-8' x 3-6' (Compact)	fast	none	ground	n/a	low	grasshoppers, occasional mites, aphids, scales
Shrub	Firespike	<i>Odontonema</i> spp.	4-7' x 3-6'	fast	none	ground	n/a	low	occasional snails
Shrub	<i>Ixora</i> Nora Grant	<i>Ixora</i> 'Nora Grant'	3-10' x 2-8'	medium	hand-prune after plant has stopped blooming, once every fall	ground	n/a	medium	occasional aphids and sooty mold
Shrub	<i>Ixora</i> Super King	<i>Ixora casei</i> 'Super King'	2.5-8' x 2-6'	medium	prune after plant has stopped blooming, once every fall	ground	n/a	medium	can be susceptible to nematodes
Shrub	<i>Ixora</i> , Red Taiwan Dwarf	<i>Ixora</i> 'Petite'	18-48" x 12-36"	slow	none	ground	n/a	medium	scale
Shrub	<i>Loropetalum</i> ; Chinese fringe flower; Chinese witch hazel	<i>Loropetalum chinensis</i>	6-15'	medium	none	ground	n/a	unknown	generally disease and pest free
Shrub	<i>Mussaenda</i>	<i>Mussaenda</i> spp.	4-9' x 6-12'	medium	stems and leaves can cause skin irritation; completely bare in winter season	both	n/a	unknown	none

Shrub	Panama Rose	Rondeletia leucophylla	4-7' x 4-7'	medium	none	ground	n/a	unknown	none
Shrub	Philodendron Xanadu	Philodendron 'Xanadu'	3-4' x 3-4'	medium	sap is an irritant	ground	n/a	medium	leaf spot fungus may initially appear but disappears once established
Shrub	Pinwheel Jasmine	Tabernaemontana divaricata	3-8' x 3-5'	medium	(might be poisonous)	ground	n/a	unknown	root rot if soil is too wet
Shrub	Plumbago	Plumbago auriculata	3-5' x 3-4'	medium	can cause skin irritation and blistering after contact	both	n/a	medium	occasional whitefly, scale, mites; fungus if soil is too wet
Shrub	Podocarpus, Shrub	Podocarpus macrophyllus 'Maki'	3-35' - 1.5-10'	medium	plant away from pavement as leaves drop heavily; if eaten, fruits are toxic	both	n/a	high	scale, sooty mold
Shrub	Porterflowers ; Porterweeds	Stachytarpheta speciosa (pink) / Stachytarpheta urticifolia (blue)	5-6' x 5-8' (pink) / 3-4' x 2-4' (blue)	fast	none	ground	n/a	unknown	none
Shrub	Powderpuff, Dwarf	Calliandra haematocephala 'Nana'	3-5' x 3-4'	slow	none	ground	n/a	low	none
Shrub	Sanchezia	Sanchezia speciosa	3-7' x 3-5'	medium	leaves turn brown when sensitive to the cold	ground	n/a	medium	if holes appear in the leaves, can be caused by snails or caterpillars
Shrub	Shrimp Plant, Golden	Pachystachys lutea	3-6' x 2-3'	medium	none	ground	n/a	low	occasional caterpillars or snails
Shrub	Snowbush	Breynia disticha	2-8' x 1.5-3'	medium	pull out runners once a year	ground	n/a	medium	occasional caterpillars
Shrub	Thryallis	Galphimia gracilis	4-6' x 3-4'	medium	somewhat brittle after first planted	ground	n/a	low	occasional caterpillars and mites
Shrub	Ti Plant, Pink Diamond	Cordyline fruticosa 'Pink Diamond'	5-9' x 3-4'	medium	if eaten, toxic to dogs and cats	ground	n/a	low	spiraling whitefly

Shrub	Ti Plant, Red	<i>Cordyline fruticosa</i>	3-6' x 2-3'	medium	if eaten, toxic to dogs and cats	ground	n/a	low	spiraling whitefly; occasional leafspot, scale, mealybugs, snails
Shrub	Trinette a.k.a. Dwarf or Variegated Arboicola	<i>Schefflera arboricola</i> 'Trinette'	2-8' x 2-4'	slow	none	ground	n/a	high	occasional Alternaria blight, a fungal disease
Shrub	Viburnum	<i>Viburnum suspensum</i>	2-8' x 1.5-4'	medium	none	ground	n/a	medium	none
Shrub / small tree	Fiddlewood	<i>Citharexylum fruticosum</i>	5-8' x 3-5' / 25' x 15' tree	medium	flowers attract bees	ground	n/a	unknown	susceptible to whitefly
Shrub / small tree	Hibiscus, Anderson Crepe	<i>Hibiscus</i> 'Anderson Crepe'	7-12' x 5-8'	fast	may require staking; fallen flowers can stick on pavement	ground	n/a	low	aphids, scale
Shrub / small tree	Hibiscus, Seminole Pink	<i>Hibiscus</i> 'Seminole Pink'	6-9' x 5-7'	fast	may require staking; fallen flowers can stick on pavement	ground	n/a	low	aphids, scale
Shrub / small tree	Jamaican Caper	<i>Capparis cynophallophora</i>	5-11' x 4-8'	slow	none	ground	n/a	medium	croton scale
Shrub / small tree	Japanese Privet	<i>Ligustrum japonicum</i>	8-12' x 15-25'	medium	none	both	n/a	unknown	occasional thrips and mites; soil nematodes for sandy soil
Shrub / small tree	Marlberry	<i>Ardisia escallonioides</i>	6-20' x 4-12'	medium	none	ground	n/a	medium	none
Shrub / small tree	Necklace Pod	<i>Sophora tomentosa</i> var. <i>truncata</i> & var. <i>occidentalis</i>	3-8' x 3-8'	medium	seeds are poisonous	ground	n/a	medium	fungus under certain conditions, caterpillars, mealybugs
Shrub / small tree	Silver Buttonwood	<i>Conocarpus erectus</i> var. <i>sericeus</i>	3-20' x 2-8'	medium	none	ground	n/a	unknown	spiraling whitefly, sooty mold, scale, mites

Shrub or groundcover	Croton, Mammy	Codiaeum variegatum 'Mammy'	18" x 18"	slow	milky sap can be skin irritant to humans/pets	both	n/a	high	croton scale can be a serious problem; susceptible to spiral whitefly
Terrestrial Orchid (grows in the ground)	Orchid, Reed Stem	Epidendrum spp.	2-3' tall	medium	none	both	n/a	medium	none
Tree	Frangipani	Plumeria spp.	12-25' x 10-16'	slow	touching or eating can cause skin irritation or mild stomach pain; completely bare in winter season	ground	n/a	unknown	susceptible to spiraling whitefly; routinely gets rust on leaves but goes away naturally when tree defoliates
Tree	Frangipani 'Pudica'; Bridal Bouquet	Plumeria pudica	6-12' x 5-8'	medium	touching or eating can cause skin irritation or mild stomach pain	both	n/a	unknown	Frangipani caterpillars, rust, mealybugs, spiraling whitefly
Tree	Geiger Tree	Cordia sebestena	20' x 15'	medium	none	ground	n/a	high	Geiger beetles can be a major pest
Tree	Golden Senna, Desert Cassia	Senna polyphylla	7-9' x 5-6'	slow	none	ground	n/a	low	occasional caterpillars
Tree	Poinciana, Dwarf	Caesalpinia pulcherrima	10-15' x 10'	medium	toxic to dogs and cats, poisonous and thorny	ground	n/a	unknown	none
Tree	Silver Buttonwood Tree	Conocarpus erectus var. sericeus	8-20' x 6-15'	medium	none	ground	n/a	high	spiraling whitefly, sooty mold, scale, mites
Tree	Simpson's Stopper	Myrcianthes fragrans	4-25' x 3-20'	slow	none	ground	n/a	high	spiraling whitefly, croton scale, occasional Guava rust disease

Tree / shrub	Crepe Myrtle	Lagerstroemia indica	20' tall	medium	flowers drop so keep away from pavement; completely bare in winter season	ground	n/a	high	none
Tree / shrub	Jatropha; Dwarf Jatropha	Jatropha integerrima 'Compacta'	4-10' x 3-7'	medium	poisonous if ingested	ground	n/a	medium	occasional scale or leaf miners
Tree or hedge	Japanese Fern Tree	Filicium decipiens	30' x 20' when mature, can be maintained 20' x 15' (or as a hedge)	medium	none	ground	n/a	unknown	none
Vine	Bleeding Heart Vine	Clerodendrum thomsoniae	stems can grow to 15' long, easily managed	medium	requires support	ground	n/a	unknown	occasional mites and nematodes
Vine	Confederate Jasmine Vine	Trachelospermum jasminoides	variable	medium	none	ground	n/a	medium	can develop scale or sooty mold
Vine	Petrea, Queen's Wreath	Petrea volubilis	variable	medium	none	ground	n/a	unknown	none
Vine, shrub, or small tree	Bougainvillea, Red or Purple	Bougainvillea glabra 'Barbara Karst' (red) or Bougainvillea glabra (purple)	grows up to a height of 20' so maintain at 7' x 4-8'	fast	sharp 1-2" thorns, high maintenance (needs lots of trimming)	ground	n/a	medium	occasional leaf-chewing worms or aphids; caterpillars but don't spray (they are baby butterflies)